

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	((database\$1 or (data adj repositior\$3)) with compatible with (multiple adj ("end-user" or (end adj user)) adj system\$1)) and ((database\$1 or (data adj repositior\$3)) with data with structure with section\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:36
S2	699	database\$1 and avionics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:37
S3	2218	database\$1 and avionics (compatible with multiple with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:37
S4	1524	(database\$1 with (feature adj mask\$1)) and avionics (compatible with multiple with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:38
S5	2	(database\$1 with (feature adj mask\$1)) and avionics and (compatible with multiple with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:39
S6	7198	707/100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:39
S7	3890	707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:39
S8	5	707/100.ccls. and (feature\$1 with mask\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:44

EAST Search History

S9	1	707/100.ccls. and ((feature\$1 with mask\$1) and (feature\$1 with bit\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:42
S11	478	(flight with management with system\$1) and (database\$1 or (data adj repositor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:45
S12	26	data with compatible with "end-user" with system\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:01
S13	2	(data with compatible with "end-user" with system\$1) and (feature with mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:53
S14	28391	honeywell.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:02
S15	495	honeywell.as. and (database\$1 or (data adj repositor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:02
S16	1	honeywell.as. and (database\$1 or (data adj repositor\$3)) and (feature\$1 with mask\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:03
S17	76	honeywell.as. and (database\$1 or (data adj repositor\$3)) and (avionics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:03

EAST Search History

S18	36	honeywell.as. and (database\$1 or (data adj reposit\$3)) and (avionics) and data and structure\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:03
S19	1842	(header\$1 with structure\$1 with data) and (database\$1 or (data adj reposit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 15:59
S20	107	(header\$1 with structure\$1 with data with (database\$1 or (data adj reposit\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:00
S21	31	(header\$1 with structure\$1 with data with (database\$1 or (data adj reposit\$3))) and (structure\$1 with feature\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:32
S22	1	(header\$1 with structure\$1 with data with (database\$1 or (data adj reposit\$3))) and (structure\$1 with feature\$1 with mask\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:01
S23	0	multiple with sytem with compatible with database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:01
S24	15	multiple with system with compatible with database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:01
S25	9500	(feature or compatibility) with mask\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:24

EAST Search History

S26	719	((feature or compatibility) with mask\$1) and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:25
S27	0	((feature or compatibility) with mask\$1) and database\$1 and (structure\$1 with pointer\$1 with (field adj definition\$1) with (user with identification) with (return adj type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:27
S28	75	((feature or compatibility) with mask\$1) and database\$1 and (data with record\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:27
S29	2	((feature or compatibility) with mask\$1) and database\$1 and (data with record\$1) and (compatibl\$5 with (multiple adj4 system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:29
S30	2	((feature or compatibility) with mask\$1) and database\$1 and (data with record\$1) and ((compatibl\$5 or compatibili\$4) with (multiple adj4 system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:29
S31	22	(header\$1 with structure\$1 with data with (database\$1 or (data adj repositor\$3))) and (structure\$1 with feature\$1) and (compatibilit\$3 or compatible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:43
S32	0	(header\$1 with structure\$1 with data with (database\$1 or (data adj repositor\$3))) and (structure\$1 with feature\$1) and (compatibilit\$3 or compatible) and (transfer\$6 with compatibility with target with (computer\$1 or system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:45
S33	2	("0556633").PN.	USPAT; USOCR	OR	OFF	2006/01/19 16:46
S34	1	("5566333").PN.	USPAT; USOCR	OR	OFF	2006/01/19 16:47

EAST Search History

S35	1311	(flight or avionics) with management with system\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:48
S36	490	((flight or avionics) with management with system\$1) and (database\$1 or (data adj repositor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:49
S37	0	((flight or avionics) with management with system\$1) and (database\$1 or (data adj repositor\$3)) and (navaigation\$3 with (record\$1 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:50
S38	201	((flight or avionics) with management with system\$1) and (database\$1 or (data adj repositor\$3)) and (navigation\$3 with (record\$1 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:50
S39	11	((flight or avionics) with management with system\$1) and (database\$1 or (data adj repositor\$3)) and (navigation\$3 with (record\$1 or data)) and (data with compatib\$7 with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:51
S40	1266	(flight with management with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:45
S41	142	(flight with management with system\$1) and ((navigat\$3 or navigation\$2) with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:47
S42	94	(flight with management with system\$1) and ((navigat\$3 or navigation\$2) with database\$1) and (flight with plan\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 11:47

EAST Search History

S43	1479	(database\$1 or (data adj base\$1) or (data with repositor\$3)) with compatib\$7 with system\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:58
S44	119	(database\$1 or (data adj base\$1) or (data with repositor\$3)) with compatib\$7 with (multiple ot many or different) with system\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:59
S45	11	((database\$1 or (data adj base\$1) or (data with repositor\$3)) with compatib\$7 with (multiple ot many or different) with system\$1) same ((chang\$3 or updat\$3) with (database\$1 or (data adj base\$1) or (data with repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 14:01
S46	2	((database\$1 or (data adj base\$1) or (data with repositor\$3)) with compatib\$7 with (multiple ot many or different) with system\$1) same ((chang\$3 or updat\$3) with (database\$1 or (data adj base\$1) or (data with repositor\$3))) and (structure\$1 with feature\$1 with mask\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 14:01
S47	11	((database\$1 or (data adj base\$1) or (data with repositor\$3)) with compatib\$7 with (multiple ot many or different) with system\$1) same ((chang\$3 or updat\$3) with (database\$1 or (data adj base\$1) or (data with repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 14:08
S48	2	((database\$1 or (data adj base\$1) or (data with repositor\$3)) with compatib\$7 with (multiple ot many or different) with system\$1) same ((chang\$3 or updat\$3) with (database\$1 or (data adj base\$1) or (data with repositor\$3))) and (section\$1 with data with structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 14:02
S49	121	((database\$1 or (data adj base\$1) or (data with repositor\$3)) with compatib\$7 with (multiple or many or different) with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:26

EAST Search History

S50	74	((database\$1 or (data adj base\$1) or (data with repositor\$3)) with compatib\$7 with (multiple or many or different) with system\$1) and ((data or metadata or "meta-data") with (record\$1 or data) with compatib\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:54
S51	2463	(database\$1 or (data adj base\$1) or (data with repositor\$3)) and (data with header\$1 with structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:57
S52	1163	(database\$1 or (data adj base\$1) or (data with repositor\$3)) and (data with header\$1 with structure\$1) and ((multiple or many or different) with (user\$1 or "end-user" or "end-users"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:59
S53	4	(database\$1 or (data adj base\$1) or (data with repositor\$3)) and (data with header\$1 with structure\$1) and ((multiple or many or different) with (user\$1 or "end-user" or "end-users" or application\$1)) and ((data or metadata or "meta-data") with record\$1 with compatib\$7 with (system\$1 or user\$1 or "end-user" or "end-users" or application\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 14:04
S54	47864	(compatibility or feature\$1) with field\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 14:05
S55	4111	707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 14:05
S56	130	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 14:06

EAST Search History

S57	93	S54 and S55 and ((multiple or plurality or many or different) with (end-user\$1 or user\$1 or client\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 14:07
S58	0	S54 and S55 and ((multiple or plurality or many or different) with (end-user\$1 or user\$1 or client\$1 or system\$1)) and (data with structure\$1 with header\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 14:07
S59	7	S54 and S55 and ((multiple or plurality or many or different) with (end-user\$1 or user\$1 or client\$1 or system\$1)) and (data with structure\$1 with header\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 14:08
S60	176	S54 and ((multiple or plurality or many or different) with (end-user\$1 or user\$1 or client\$1 or system\$1)) and (data with structure\$1 with header\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 14:22
S61	4	(rule\$1 with compatib\$7 with system\$1 with field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 14:47
S62	1	((("5566333") or ("200200112230")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:51
S63	1	((("5566333") or ("2002112230")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:52
S64	21643	(attribute\$1 or feature\$1) with mask\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:05
S65	46	((attribute\$1 or feature\$1) with mask\$3) and (header\$1 with structure\$1 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:06

EAST Search History

S66	46	((attribute\$1 or feature\$1) with mask\$3) and (header\$1 with structure\$1 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:47
S67	1	((attribute\$1 or feature\$1) with mask\$3) and (header\$1 with structure\$1 with data) and (database\$1 with manage\$5 with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:08
S68	16	("5799184").URPN.	USPAT	OR	OFF	2006/04/10 16:33
S69	1	((attribute\$1 or feature\$1) with mask\$3) and (header\$1 with structure\$1 with data) and ((system\$1 or user\$1 or enduser\$1 or "end-user" or end-user\$1) with compatib\$7 with record\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:45
S71	1	((attribute\$1 or feature\$1) with mask\$3) and (header\$1 with structure\$1 with data) and (table\$1 with pointer\$1) and (table\$1 with return with type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:48
S72	12	((attribute\$1 or feature\$1) with mask\$3) and (header\$1 with structure\$1 with data) and (table\$1 with pointer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:19
S73	245765	(generat\$3 or creat\$3 or produc\$3 or mak\$3) with (database\$1 or (data adj base\$1) or (data adj repositor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 10:36
S74	99	((generat\$3 or creat\$3 or produc\$3 or mak\$3) with (database\$1 or (data adj base\$1) or (data adj repositor\$3))) and ((database\$1 or (data adj base\$1) or (data adj repositor\$3)) with header\$1 with structure\$1 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:22

EAST Search History

S75	7	((generat\$3 or creat\$3 or produc\$3 or mak\$3) with (database\$1 or (data adj base\$1) or (data adj repositor\$3))) and ((database\$1 or (data adj base\$1) or (data adj repositor\$3)) with header\$1 with structure\$1 with data) and (((attribute\$1 or feature\$1 or bit\$1) with mask\$3) or "bit-mask" or "attribute-mask" or "feature-mask"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:24
S76	3	((generat\$3 or creat\$3 or produc\$3 or mak\$3) with (database\$1 or (data adj base\$1) or (data adj repositor\$3))) and ((database\$1 or (data adj base\$1) or (data adj repositor\$3)) with header\$1 with structure\$1 with data) and (((attribute\$1 or feature\$1 or bit\$1) with mask\$3) or "bit-mask" or "attribute-mask" or "feature-mask")) and record\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:30
S77	4124	707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:30
S78	108	707/100.ccls.and (header\$1 with (schema\$1 or structure\$1) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:31
S79	18	707/100.ccls.and (header\$1 with (schema\$1 or structure\$1) with data) and mask\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:41
S80	2	707/100.ccls.and (header\$1 with (schema\$1 or structure\$1) with data) and (record\$1 with mask\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:37
S81	2	"20050267825"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:37

EAST Search History

S82	23	707/100.ccls.and (header\$1 with (schema\$1 or structure\$1)) and mask\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 09:45
S83	1	("6879976").PN.	USPAT; USOCR	OR	OFF	2006/04/12 09:46
S84	22	("4817036" "5649181" "5706495" "5761652" "5799184" "5848408" "5852821" "5884307" "5899988" "5903888" "5907297" "5924088" "5963935" "6067540" "6070164" "6081800" "6141656" "6154741" "6285994" "6405187" "6658405" "6804664").PN. OR ("6879976").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 09:50
S85	22	("4817036" "5649181" "5706495" "5761652" "5799184" "5848408" "5852821" "5884307" "5899988" "5903888" "5907297" "5924088" "5963935" "6067540" "6070164" "6081800" "6141656" "6154741" "6285994" "6405187" "6658405" "6804664").PN. OR ("6879976").URPN. and (acces\$3 with right\$1 with record\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 10:22
S86	0	((("4817036" "5649181" "5706495" "5761652" "5799184" "5848408" "5852821" "5884307" "5899988" "5903888" "5907297" "5924088" "5963935" "6067540" "6070164" "6081800" "6141656" "6154741" "6285994" "6405187" "6658405" "6804664").PN. OR ("6879976").URPN.) and (acces\$3 with right\$1 with record\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 09:51
S87	5	((("4817036" "5649181" "5706495" "5761652" "5799184" "5848408" "5852821" "5884307" "5899988" "5903888" "5907297" "5924088" "5963935" "6067540" "6070164" "6081800" "6141656" "6154741" "6285994" "6405187" "6658405" "6804664").PN. OR ("6879976").URPN.) and (acces\$3 with record\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 09:51
S88	58330	(proces\$3 with capabilit\$3) or (system\$1 with requirement\$1) and (record\$1 with mask\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 10:23

EAST Search History

S89	58099	(proces\$3 with capabilit\$3) or (system\$1 with requirement\$1) and (record\$1 with mask\$3) and (707/1-10.ccls. or 707/100.ccls.)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 10:25
S90	29	((proces\$3 with capabilit\$3) or (system\$1 with requirement\$1)) and (record\$1 with mask\$3) and (707/1-10.ccls. or 707/100.ccls.)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 10:34
S91	4274	(client\$1 with profile\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 10:35
S92	2065	S73 and S91	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 10:35
S93	21	(generat\$3 or creat\$3 or produc\$3 or mak\$3) with (database\$1 or (data adj base\$1) or (data adj repositor\$3)) and (client\$1 with profile\$1) and (((attribute\$1 or feature\$1 or bit\$1) with mask\$3) or bitmask\$3 or "bit-mask" or "attribute-mask" or "feature-mask")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 10:59
S94	3509	(match\$3 with bit\$1 with pattern\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 11:00
S95	345	(match\$3 with bit\$1 with pattern\$1) and (database\$1 or (data adj base\$1) or (data with repositor\$3)) and record\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 11:00
S96	115	((match\$3 or compar\$3) with bit\$1 with pattern\$1) and (database\$1 or (data adj base\$1) or (data with repositor\$3)) and record\$1 and ((bit\$1 with mask\$3) or bitmask\$3 or "bit-mask" or "bit-masks")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 11:02
S97	115	((match\$3 or compar\$3) with bit\$1 with pattern\$1) and (database\$1 or (data adj base\$1) or (data with repositor\$3)) and record\$1 and ((bit\$1 with mask\$3) or bitmask\$3 or "bit-mask" or "bit-masks")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 11:02